



Treating water with respect.



iX Clear & Clear+ Manual

A truly eco-friendly cartridge water filter, proudly made in Britain.



www.watercarehome.co.uk

iX Head - What's in the Box?

- Head
- Bypass Tool (attached)
- Head Top plate (attached)
- Water Testing Strips
- AA Batteries (only applicable on Digital Metered Head)



*iX Head is required on all iX Cartridge installations

iX Cartridge - What's in the Box?

- iX Water Cartridge Filter
- iX Refill Insert (located inside the filter)



How to Install

1. Remove the iX Cartridge filter from the box and position the unit in the required area for installation.
2. Remove the iX Head from the box.
3. Remove the green bypass tool provided (push mounted to front of the iX Head) and attach the iX Head to the top of the iX Cartridge Filter.
4. Place Bypass tool back into the front of the iX Head.
5. Connect your fittings to both Inlet and Outlet*
**Fitting and adapters are available depending on site requirements.*
6. Turn Flush Valve to flush position.
7. Turn on the water supply via the Isolator Valve and flush for a minimum of 20 litres.
8. Turn off Flush Valve.
9. Follow the instructions shown on the Water Testing Strips to determine the water hardness.
10. Insert the AA Batteries to start up the Digital Water Meter (Automatically set to 0). **This is only applicable to the Digital Meter Heads.**
11. Turn on water supply.

If you require any assistance...
please call: +44 1279 780250

iX Refill Replacement - What's in the Box?

- iX Refill Insert
- 2 Spanners
- O Rings
- Base Grip Adapter



How to Exchange Refill Replacement

1. Turn off the water supply via the Isolator Valve.
2. Open Flush Valve to relieve any pressure.
3. Remove the green bypass tool provided (push mounted to front of the head).
4. Detach Filter from head.
5. Use the green spanners provided to undo the Filter.
6. Remove old insert for new.
7. Fit the Base Grip Adapter to the bottom of the Filter and place the Spanner underneath.
8. Place one foot on the spanner. This will enable you to tighten the screw cap back onto the Filter.
9. Re-fit iX Filter back onto the iX Head.
10. Place Bypass tool back into the front of the iX Head.
11. Turn Flush Valve to flush position.
12. Turn on the water supply via the Isolator Valve and flush for a minimum of 20 litres.
13. Turn off Flush Valve.
14. Push and hold the Reset button for 5 seconds to reset the Digital Water Meter to 0. **This is only applicable to the Digital Meter Heads.**

iX Clear & Clear + Specifications



PRESSURE
2 - 6 BAR



MAX TEMP
30°C



SET BYPASS
AT ZERO



7 LITRES
PER MINUTE
AT 5 BAR
MAX FLOW
RATE

3/8" PUSH FIT
QUICK RELEASE
HEAD

PRE FLUSH
WITH 5 X BED
VOLUME

After initial install, you have the option to replace the complete filter cartridge or just the refill insert.



REPLACE



RETURN



RECYCLE

When you order your replacement Media Insert Refill, you'll also have the option to receive a free recycling kit consisting of a sealable, watertight bag and return instructions. This makes returning your expired cartridges to us as simple as possible and will no doubt comply with your own environmental policies.



WATERCARE HOME

Regal House | South Road | Harlow | Essex | CM20 2BL
Tel: +44 1279 780250

Visit: www.watercarehome.co.uk

Orders: orders@watercare.co.uk

Service: service@watercare.co.uk | Enquiries: info@watercare.co.uk